



ISIS4789.ST25.txt  
SEQUENCE LISTING

<110> Mohan, Muthiah  
Mohan, Venkatraman  
Cook, Phillip Dan  
Kawasaki, Andrew M.

<120> Oligonucleotides Having DNA Form and B-DNA Form Conformational Geometry

<130> ISIS4789

<140> 09/970,971

<141> 2001-10-04

<160> 34

<170> PatentIn version 3.1

<210> 1

<211> 12

<212> RNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 1

cgcgaaauucg cg

12

<210> 2

<211> 0

<212> DNA

<213> 00

<400> 2

000

<210> 3

<211> 0

<212> DNA

<213> 00

<400> 3

000

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (20)..(20)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (1)..(20)

<223> P=S

<400> 4  
atgcattctg cccccaagga 20

<210> 5  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (19)..(20)  
<223> 3'-O-MOE

<220>  
<221> misc\_feature  
<222> (1)..(20)  
<223> P=S

<400> 5  
atgcattctg cccccaagga 20

<210> 6  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (18)..(19)  
<223> P=O

<220>  
<221> misc\_feature  
<222> (1)..(17)  
<223> P=S

<220>  
<221> misc\_feature  
<222> (19)..(20)  
<223> 3'-O-MOE

<400> 6  
atgcattctg cccccaagga 20

<210> 7  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(1)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (20)..(20)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (1)..(20)

<223> P=S

<400> 7

atgcattctg cccccaagga

20

<210> 8

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(1)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (19)..(20)

<223> 3'-O-MOE

<400> 8

atgcattctg cccccaagga

20

<210> 9

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(1)

<223> 3'-O-MOE; P=O

<220>

<221> misc\_feature

<222> (18)..(19)

<223> P=O

<220>

<221> misc\_feature

<222> (19)..(20)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (2)..(17)

<223> P=S

<400> 9

atgcattctg ccaaaaagga

20

<210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(2)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (19)..(20)

<223> 3'-O-MOE

<220>

<221> misc\_feature

<222> (1)..(20)

<223> P=S

<400> 10

atgcattctg ccaaaaagga

20

<210> 11

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(2)

<223> 3'-O-MOE; P=O

<220>

<221> misc\_feature

<222> (18)..(20)  
<223> P=O

<220>  
<221> misc\_feature  
<222> (19)..(20)  
<223> 3'-O-MOE

<220>  
<221> misc\_feature  
<222> (3)..(17)  
<223> P=S

<400> 11  
atgcattctg ccaaaaagga

20

<210> 12  
<211> 12  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(12)  
<223> 3'-O-(2-methoxyethyl); P=O

<400> 12  
cgcggaattcg cg

12

<210> 13  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(20)  
<223> P=S

<400> 13  
atgcattctg cccccaagga

20

<210> 14  
<211> 11  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>

<221> misc\_feature  
<222> (6)..(6)  
<223> 2'-aminolinker

<400> 14  
ggctguctgc g

11

<210> 15  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (16)..(19)  
<223> 3'-O-MOE

<220>  
<221> misc\_feature  
<222> (1)..(19)  
<223> P=O

<400> 15  
tttttttttt ttttttttt

19

<210> 16  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (16)..(19)  
<223> 3'-O-MOE

<220>  
<221> misc\_feature  
<222> (1)..(19)  
<223> P=O

<400> 16  
tttttttttt tttttttttu

19

<210> 17  
<211> 0  
<212> DNA  
<213> 00

<400> 17  
000

<210> 18  
<211> 0  
<212> DNA  
<213> 00

<400> 18  
000

<210> 19  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> 3'-aminopropyl-A

<220>  
<221> misc\_feature  
<222> (20)..(20)  
<223> 3'-aminopropyl-A

<220>  
<221> misc\_feature  
<222> (1)..(20)  
<223> P=S

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (11)..(15)  
<223> 5-methyl C

<400> 19  
atgcattctg cccccaagga

20

<210> 20  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>

<221> misc\_feature  
<222> (1)..(1)  
<223> 3'-aminopropyl-A

<220>  
<221> misc\_feature  
<222> (5)..(15)  
<223> P=S

<220>  
<221> misc\_feature  
<222> (16)..(19)  
<223> P=O

<220>  
<221> misc\_feature  
<222> (1)..(4)  
<223> P=O

<220>  
<221> misc\_feature  
<222> (20)..(20)  
<223> 3'-aminopropyl-A

<220>  
<221> misc\_feature  
<222> (2)..(5)  
<223> 2'-O-methoxyethyl substituent

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (11)..(15)  
<223> 5-methyl C

<400> 20  
atgcattctg cccccaagga

20

<210> 21  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence



<400> 21  
tgcattcccc aggccaccat 20

<210> 22  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<400> 22  
tgcattcccc aggccaccat 20

<210> 23  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<400> 23  
tgcattcccc aggccacc 18

<210> 24  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(19)  
<223> phosphorothioate linkage

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (11)..(15)  
<223> 5-methyl C

<220>  
<221> misc\_feature  
<222> (1)..(6)  
<223> 2'-O-(methoxyethyl)

<220>  
 <221> misc\_feature  
 <222> (16)..(20)  
 <223> 2'-O-(methoxyethyl)

<400> 24  
 atgcattctg cccccaagga

20

<210> 25  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(19)  
 <223> phosphorothioate linkage

<220>  
 <221> misc\_feature  
 <222> (2)..(4)  
 <223> 5-methyl C

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> 5-methyl C

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> 5-methyl C

<220>  
 <221> misc\_feature  
 <222> (15)..(16)  
 <223> 5-methyl C

<220>  
 <221> misc\_feature  
 <222> (19)..(19)  
 <223> 5-methyl C

<400> 25  
 gcccaagctg gcatccgtca

20

<210> 26  
 <211> 19  
 <212> DNA  
 <213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (16)..(19)

<223> 2'-modified T

<400> 26

tttttttttt tttttttttt

19

<210> 27

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(19)

<223> phosphorothioate oligodeoxynucleotide; P=S

<400> 27

tccgtcatcg ctcctcaggg

20

<210> 28

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(19)

<223> P=S

<400> 28

tcagtaatag gcccacatgg

20

<210> 29

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(3)

<223> P=O

<220>

<221> misc\_feature

<222> (4)..(12)

<223> P=S;2'-ME

<220>

<221> misc\_feature

<222> (13)..(19)

<223> P=O

<400> 29

ttcgtcatcg ctcctcaggg

20

<210> 30

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 30

atgcattctg ccccaagga

19

<210> 31

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(4)

<223> P=O

<220>

<221> misc\_feature

<222> (5)..(14)

<223> P=S

<220>

<221> misc\_feature

<222> (15)..(18)

<223> P=O 2'-MOE/2'-S-Me

<400> 31

atgcattctg ccccaagga

19

<210> 32

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(18)  
<223> P=S

<400> 32  
atgcattctg ccccaagga

19

<210> 33  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> P=O 2'-5' linkage with 3'-O-MOE; 2'-O-MOE/2'-S-ME/2'-O-MOE

<220>  
<221> misc\_feature  
<222> (2)..(4)  
<223> P=O

<220>  
<221> misc\_feature  
<222> (5)..(14)  
<223> P=S

<220>  
<221> misc\_feature  
<222> (15)..(17)  
<223> P=O

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> P=O 2'-5' linkage with 3'-O-MOE

<400> 33  
atgcattctg ccccaagga

19

<210> 34  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> P=S 2'-5' linkage with 3'-O-MOE;2'-O-MOE/2'-S-ME/2'-O-MOE

<220>

<221> misc\_feature  
<222> (2)..(17)  
<223> P=S

<220>  
<221> misc\_feature  
<222> (18)..(18)  
<223> P=S 2'-5' linkage with 3'-O-MOE

<400> 34  
atgcattctg ccccaagga

19